

# Tool Trolley 13217.

Leading-edge tools. Safe, sturdy storage.








# Tool Trolley 13217.

# The systematic approach.

Even the basic version of the extremely sturdy, resilient **STAHLWILLE Tool Trolley 13217** includes a range of sophisticated details for intelligent tool storage and control. For example, the drawers can be completely removed, closed with a transparent lid and used as separate, independent, mobile tool storage solutions. The extendible telescopic handle, in conjunction with the smooth-running castors, allows the trolley to be transported and manoeuvred extremely easily and flexibly.

To ensure the best possible protection for the tools, the trolleys are provided with specially developed napped foam in the lid to complement the particularly safe, easy-to-monitor inlays used for the Tool Control System.





- Smart design. Concealed under the lid are a removable tray with handles and two transparent drawer covers.
- **Mobile.** Attaching the covers to the drawers allows them to be used flexibly as separate tool boxes.
- Safe. Tools are held securely in place by the napped foam inside the lid of the case.
- Versatile. Easily removable drawers with endstops and three different drawer heights.

  Drawers can be inserted in any order.
- **Ergonomically designed.** Two slurdy carrying handles at the sides.
- 6 Individual. The tool case and drawers can be individually labelled.
- 7 **Practical.** With one top cover and one removable front cover.



Conveniently mobile - each of the drawers can be turned into a mobile carry-box by attaching one of the transparent lids.

#### More highlights

- Extendible telescopic handle facilitates transport.
- Two smooth-running twin castors on the telescopic-handle side.
- Adaptable for upright transport using 4 castors, R 13217 Set of castors (please order separately).
- Resistant to Skydrol, acetone, kerosene and hydraulic fluids.
- Carrying capacity 60 kg.
- Three locking positions with padlock.



Additional details can be found at

www.stahlwille.de/en/13217


### Four colours. Six case models.

### Just the way you need it.

Tool Trolley 13217 offers an impressive range of options. Depending on your specific needs, choose from six case variants with different drawer configurations. Apart from the four standard colours, we can supply customer-specific shades. Just let us know!


T1

CASE **TYPE 1**2 x 30 mm, 3 x 60 mm



**T2** 


CASE **TYPE 2**4 x 30 mm, 2 x 60 mm



Т3

CASE TYPE 3


 $3\times30$  mm,  $1\times60$  mm,  $1\times95$  mm Luminous yellow, luminous orange, luminous red, je. black





CASE **TYPE 4** 6 x 30 mm, 1 x 60 mm


Jot Hack



T5


CASE TYPE 5 with reflecting film

2 x 30 mm, 3 x 60 mm Luminous yellow, luminous orange, luminous red, jet black



Т6

CASE **TYPE 6** with reflecting film 4 x 30 mm, 2 x 60 mm







Optionally, all the colours listed can be supplied as reflecting shades.





STAHLWILLE Tool	Trollev (585)	(157 x 381	mm 15 kg)

Typc	Drawers	Code	No	Drawer configuration	Colour	Reflecting film
T1	5	81 09 13 11	13217 LR 1	2 x 30 mm, 3 x 60 mm	Luminous red	
T2	6	81 09 13 13	13217 TS 2	4 x 30 mm, 2 x 60 m m	Jet black	- 1
T3	5	81 09 13 01	13217 LGE	3 x 30 mm, 1 x 60 mm, 1 x 95 mm	Luminous yellow	- 100
T3	5	81 09 13 02	13217 LOR	3 x 30 mm, 1 x 60 mm, 1 x 95 mm	Luminous orange	-
T3	5	81 09 13 04	13217 LR	3 x 30 mm, 1 x 60 mm, 1 x 95 mm	Luminous red	-
T3	5	81 09 13 06	13217 TS	3 x 30 mm, 1 x 60 mm, 1 x 95 mm	Jet black	- 7/4
Т4	7	81 09 13 18	£3217 TS 3	6 x 30 mm, 4 x 60 mm	Jet black	-
T5	5	96 89 48 06	13217 LGE RF	2 x 30 mr, 3 x 60 mm	Luminous yellow	-46
T5	5	96 89 48 07	13217 LOR RF	2 x 30 mm, 3 x 60 mm	Luminous orange	-
T5	5	96 89 48 08	13217 LR RF	2 x 30 mm, 3 x 60 mm	Luminous red	-
Т5	5	96 89 48 09	13217 TS RF	2 x 30 mm, 3 x 60 mm	Jet black	-4
Т6	6	96 89 48 10		4 x 30 mm, 2 x 60 mm	Lumino us red	-4

Luminous orange

Luminous yellow

Luminous red

Jet plack

Incividual, besonde cases are available on request.

### Accessories for 13217.

### Even more choice.

Optional additions, such as the set of wheels to provide better mobility on four wheels, the transparent cover that offers more storage space and additional drawers make the 13217 even easier to personalise.

#### R13217 Set of wheels

#### Code 96 89 48 05

- Easier, more mobile deployment.
- For upright transport on four wheels.
- Set consisting of four swivelling castors, two of which with parking brakes.



#### 13217 TA Transparent cover

#### Code 89 01 01 00

- All present and correct a glance through the transparent cover is enough.
- Provides additional storage space for documents, for example.
- Made of sturdy, scratch-resistant plastic.
- Robust construction with metal hinges.

#### TR-SCH Drawer

- Practical drawers with three different heights to make individual storage easier.
- Made of resilient plastic to keep weight down.
- Colour: jet black.









### Sets of tools for 13217.

### For all requirements.

STAHLWILLE's Tool Trolley 13217 is available with specially selected sets of tools to ensure efficient, fast, reliable MRO. Our **High Performance Quality (HPQ°)** tools are developed and manufactured in Germany. They combine the tightest manufacturing tolerances with the greatest possible force transmission and durability. Storing the tools in STAHLWILLE's Tool Control System (TCS) combines the highest levels of safety and efficiency with the reassuring feeling that none of the tools has been left in a place that could, at some point in the future, become a safety risk.





Every tool has its clearly defined space. At a glance, you can see where each tool belongs, saving you time and, as a result, muney.



The push-cut recesses facilitate tool removal and promote faster, more efficient working.



Thanks to the noticeable yellow background, a quick glance at the tray shows instantly if everything is where it should be. If you can see yellow - there is semething missing.

## 805/4 WT TCS.

# The entry-level set.

#### 805/4 WT TCS tool compilation for Tool Trolley 13217

#### Code 97 84 28 03

- Comprehensive set of tools including all the key items needed for frequent applications.
- Optimised for Tool Trolley 13217.
- 89 tools in sculpted TCS inlays.
- 9.2 kg; 20.28 lbs.



CASE **TYPES** > p. 6



Code 96 83 43 15



Ccce 96 83 43 16



Code 96 83 43 17



Cccc 96 83 43 18

#### This product is supplied without the Tool Trolley.

The ideal selection to complement an existing

Tool Trolley 13217.

Suilable case variants can be found on p. 6.







### 806/6 WT TCS.

# The perfect complement.

#### 806/6 WT TCS tool compilation for Tool Trolley 13217

#### Code 97 83 02 07

- Comprehensive set of tools including all the key items needed for frequent applications.
- Optimised for Tool Trolley 13217.
- 104 tools in sculpted TCS inlays.
- 14.2 kg; 31.31 lbs.






Code 96 83 00 94



Code 96 83 00 36



Code 36 83 CC 98



Code 96 83 00 95



Crcc 96 83 00 97



Code 95 83 CC 99

#### This product is supplied without the Tool Trolley.

The ideal selection to complement an existing Tool Trolley 13217.







# **13214 WT/LR.** Maintenance solutions for specialists. Metric...

#### 13214 WT/LR Line Maintenance Set including Tool Trolley, metric

- Specially compiled set of tools for MRO on aeroplanes and helicopters.
- 121 tools in an extremely resilient Tool Trolley.
- 28.5 kg; 62.83 lbs.





Code 96 83 01 00



Ccce 96 83 01 01



Code 35 83 C1 02



Code 96 83 01 03



Crcc 96 83 01 04



Code 95 83 C1 05





## 13214a WT/LR.

# ...or as an imperial variant.

13214a WT/LR Line Maintenance Set including Tool Trolley, imperial

- 122-piece tool compilation, designed to meet the needs of MRO on aeroplanes and helicopters.
- Extremely sturdy Tool Trolley for professional use.
- 28.2 kg; 62.17 lbs.





Code 96 83 01 06



Coce 96 83 01 07



Code 35 83 C1 02



Code 96 83 01 03



Crcc 96 83 01 08



Code 95 83 C1 09



# 13221 WT/TS.

### AOG kits. Metric...

#### 13221 WT/TS AOG kit for aeroplanes including Tool Trolley, metric

- 163 tools in an extremely resilient Tool Trolley.
- Specially designed for aircraft-on-ground applications.
- Makes maintenance and repair jobs that much more efficient, faster and more dependable.
- 28.6 kg; 63.05 lbs.





Ccde 96 83 01 33



Code 36 83 C1 34



Code 96 83 01 35




Ccde 96 83 01 36




Code 95 83 C1 37



Code 96 83 01 38





Code 96 83 01 40





### 13224a WT/TS.

# ...or as an imperial variant.

#### 13224a WT/TS AOG kit for aeroplanes including Tool Trolley, imperial

- 154 tools in an extremely resilient Tool Trolley.
- Specially designed for aircraft-on-ground applications.
- Makes maintenance and repair jobs that much more efficient, faster and more dependable.
- 28.4 kg; 62.61 lbs.





Code 96 83 01 10



Ccce 96 83 01 11



Code 36 83 C1 12



Code 96 83 01 13



Crcc 96 83 01 14



Code 95 83 C1 15



Code 96 83 01 16





## Standard inlays.

# For bespoke solutions.

#### TCS 13217 WT 40/52/27/13

Tray inlay 30 mm





#### Code 96 83 01 17

Set of spekets 1/4; 1/2" 40 pc. set\* 4.00 kg; 8.82 lbs

#### TCS 13217 WT 40/45/46/37/14

Tray inlay 30 mm





#### Code 96 83 01 23

Set of sockets 1/4; 3/8" 51 oc. set\* 2.50 kg; 5.51 lbs

#### TCS 13217 WT 40/4008/10/9

Tray inlay 30 mm





#### Code 96 83 01 32

Ratcheting bit-holders and set of QuickRelease fine-tooth ratchets\*, 1.12 kg; 2.47 lbs

#### TCS 13217 WT 10/10 6x7-30x32 mm

Inlay 30 mm



#### Code 96 83 01 20

Double-ended open-jaw spanners No 10 sizes 6-32 1.55 kg; 3.41 lbs

#### TCS 13217 WT 10a/9

Inlay 30 mm



#### Code 96 83 01 24

Dot ble-ended open-jaw spanners No 10 sizes 1/4-1 5/16", 1.60 kg; 3.53 lbs

#### TCS 13217 WT 17/12

Inlay 30 mm



#### Code 96 83 01 28

Combined open-jaw & ring ratchet spanners No 17 sizes 8-19 mm, 1.49 kg; 3.27 lbs

#### TCS 13217 WT 240/10

Inlay 30 mm



#### Code 96 83 01 30

FastRatch ratchet wrenches No 240 sizes 8–19 mm 2.01 kg; 4.42 lps

#### TCS 13217 WT 6501-6602/7

Inlay 30 mm



#### Code 96 83 01 18

Set of universal pliers, culters & wrenches, incl. self-grib wrench, 1,18 kg; 2,60 lbs





TCS 13217 WT 6501-6602/7-1

Inlay 30 mm



Code 96 83 01 31

Set of universal pliers, cutters & wrenches, incl. wire-twisting pliers, 1.66 kg; 3.65 lbs

#### TCS 13217 WT 102-109/10956/10960/16

Inlay 30 mm



Code 96 83 01 19

Pin punches, chisels, hammers and other useful aids, 1.79 kg; 3.95 lbs

#### TCS 13217 WT 13/18 6-24 mm

Inlay 60 mm



Code 96 83 01 21

Combination spanners No 13 sizes 6-24 mm, 1.94 kg; 4.28 lbs

#### TCS 13217 WT 13a/22

Inlay 60 mm



#### Code 96 83 01 25

Combination spanners No 13a sizes 3/16-1 1/16" 2.44 Kg; 5.38 lbs

#### TCS 13217 WT 4622/4632/4650/10767H

Inlay 60 mm



#### Code 96 83 01 22

TCRX\*, flat, Phillips screwdrivers (PH), hexagen key wrenches 1.5–10 mm, 1.50 kg; 3.31 lbs

#### TCS 13217 WT 4622/4632/4650/10767a

Inlay 60 mm



#### Code 96 83 01 26

TCRX\*, flat, Phillips screwdrivers (PH), hexagon key wrenches 0.050–3/8", 1.61 kg; 3.55 lbs

#### TCS 13217 WT 4650/4660/4665/10767a

Inlay 60 mm



#### Code 96 83 01 27

TCRX\*, VDE flat, VDE Phillips screwdrivers (PH), hexagon key wrenches 0.05C-3/8\*, 1.40 kg; 3.09 lbs

#### TCS 13217 WT 4650/4660/4665/10767H

Inlay 60 mm



#### Code 96 83 01 29

TCRX\*, VDE flat, VDE Phillips screwdrivers (PH) set of Allch keys 1.5–10 mm, 1.32 kg; 2.91 lbs

### Our tool solutions.

### As individual as your needs.

In work environments where processes are tightly integrated and deadlines are even tighter, it is crucial that every tool has its own place and everything is where you expect to find it. STAHLWILLE's Tool Control System (TCS) combines the highest levels of safety and efficiency with the reassuring feeling that none of the tools has been left in a place that could, at some point in the future, become a safety risk.

By applying our standardised analysis and optimisation processes, we can specify, develop and manufacture the tools you need and combine them, if you so wish, with products made by other well-known manufacturers to create an individual, comprehensive solution in which no lool is superfluous, no storage space wasted and there is no unnecessary weight to be transported.

Together with our application consultant, you can use the STAHLWILLE TCS Configurator during the consultancy meeting to generate a virtual view of your choice of tools within the shortest period.

And if you do not find what you are looking for in our Configurator, we can scan your product on-site to enable you to order accurate, bespoke TCS inlays. By combining your tools with matching storage facilities – whether it is the new, highly mobile Tool Trolley made of high-grade plastic through to the iF Product Design Award winning premium Tool Trolley – you benefit in several ways: you profit from optimised protection for your tools to prevent damage, incorrect storage and loss. Applying this high standard of work process organisation offers you noticeably improved process quality with a corresponding contribution to increased productivity within your company.

And what happens if your processes change? It is a simple matter for us to modify the tool positions and the tool compilation to take account of your changing requirements. And to make sure that not a single detail is overlooked in the process, we apply our guaranteed standardised steps for continual improvement.








Our application consultant will scan your specific products on-site to produce accurate, individual bespoke solutions.



- Efficient inventory compilation with no obligation to buy
  - By experienced sales staff
  - Jointly with you
  - Personally on-site

2 We create a tooling solution



- We take your individual special-case solutions into account
- We define the TCS design and storage concept







- 3 Delivery & support
  - Delivery to schedule
  - Comprehensive documentation
  - Advice and after-sales service





EDUARD WILLE GmbH & Co. KG Lindenallee 27 42349 Wuppertal Germany Phone +49 202 4791-0 Fax+49 202 4791-200 info@stahlwille.de www.stahlwille.de

